

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	363	(learn\$3 detect\$3 sens\$3 determin\$3 judg\$3) with (resource near5 (unavailab\$5 busy\$3 inactive disable))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 08:52
L2	5798	(learn\$3 detect\$3 sens\$3 determin\$3 judg\$3) with (resource near5 (status availab\$5 unavailab\$5 idl\$3 busy\$3 \$2active disable enable))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 08:53
L3	363	1 same 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 08:53
L10	37	3 same (port portal interface browser (middle adj tier) GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 08:57
L11	31	10 and (@ad<"20000707" @riad<"20000707")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 09:49
L12	16159	(middle adj tier) (connection near2 (manager controller))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 10:08
L13	2144	12 with (interface port portal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 09:48
L14	425	13 same (sql database application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 09:48
L15	15	14 same ((query availab\$5 unavailab\$5) near3 (resource data information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 10:08
L16	5	15 and (@ad<"20000707" @riad<"20000707")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 10:16
L17	34	"net.data"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 10:11
L18	0	12 same 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 10:08

L19	2	12 and 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 10:10
L20	48174	((data database) near3 port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 10:11
L21	952013	("net.data" GUI interface browser)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 10:11
L26	1761715	(connect\$3 coupl\$3) near3 (manag\$5 control\$4 device system server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 10:15
L29	7712	20 with 21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 10:15
L30	828	29 with 26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 10:16
L31	630	30 and (@ad<"20000707" @rlad<"20000707")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 10:17
L32	0	30 same 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 10:17
L33	32	30 same (sql request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 10:17
L34	22	33 and (@ad<"20000707" @rlad<"20000707")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 10:17
S1	3817	(707/10).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/26 07:51
S2	2972	((707/10).CCLS.) and (@ad<"20000707" @rlad<"20000707")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 08:54

S3	2245	(707/102).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/26 07:54
S4	1753	((707/102).CCLS.) and (@ad<"20000707" @riad<"20000707")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 07:54
S5	1072	(707/103?).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/26 07:54
S6	901	((707/103?).CCLS.) and (@ad<"20000707" @riad<"20000707")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 07:55
S7	0	(707/104?).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/26 09:48
S8	3137	(707/104.1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/26 07:55
S9	2185	((707/104.1).CCLS.) and (@ad<"20000707" @riad<"20000707")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 10:34
S10	64846	(data database datasource source) near3 (port portal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 07:56
S11	180343	(data database datasource source) near5 (inteface GUI browser application api)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 07:57
S12	1109030	(connect\$3 coupl\$3 link\$3) near5 (establish\$3 mang\$3 control\$3 adminstrat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 07:59
S13	2129	((data database datasource source) near3 (port portal)) same ((data database datasource source) near5 (inteface GUI browser application api))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 07:59
S14	138	((connect\$3 coupl\$3 link\$3) near5 (establish\$3 mang\$3 control\$3 adminstrat\$3)) same (((data database datasource source) near3 (port portal)) same ((data database datasource source) near5 (inteface GUI browser application api)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 07:59

S15	92	(((((connect\$3 coupl\$3 link\$3) near5 (establish\$3 mang\$3 control\$3 adminstrat\$3)) same (((data database datasource source) near3 (port portal)) same ((data database datasource source) near5 (interface GUI browser application api)))) and (@ad<"20000707" @rlad<"20000707"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 11:29
S16	0	(((((connect\$3 coupl\$3 link\$3) near5 (establish\$3 mang\$3 control\$3 adminstrat\$3)) same (((data database datasource source) near3 (port portal)) same ((data database datasource source) near5 (interface GUI browser application api)))) and (@ad<"20000707" @rlad<"20000707")) and rdsb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 08:08
S17	1	(((((connect\$3 coupl\$3 link\$3) near5 (establish\$3 mang\$3 control\$3 adminstrat\$3)) same (((data database datasource source) near3 (port portal)) same ((data database datasource source) near5 (interface GUI browser application api)))) and (@ad<"20000707" @rlad<"20000707")) and sql	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 08:08
S18	5	(((((connect\$3 coupl\$3 link\$3) near5 (establish\$3 mang\$3 control\$3 adminstrat\$3)) same (((data database datasource source) near3 (port portal)) same ((data database datasource source) near5 (interface GUI browser application api)))) and (@ad<"20000707" @rlad<"20000707")) and html	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 08:13
S19	87	(((((connect\$3 coupl\$3 link\$3) near5 (establish\$3 mang\$3 control\$3 adminstrat\$3)) same (((data database datasource source) near3 (port portal)) same ((data database datasource source) near5 (interface GUI browser application api)))) and (@ad<"20000707" @rlad<"20000707")) not ((((((connect\$3 coupl\$3 link\$3) near5 (establish\$3 mang\$3 control\$3 adminstrat\$3)) same (((data database datasource source) near3 (port portal)) same ((data database datasource source) near5 (interface GUI browser application api)))) and (@ad<"20000707" @rlad<"20000707")) and sql) (((connect\$3 coupl\$3 link\$3) near5 (establish\$3 mang\$3 control\$3 adminstrat\$3)) same (((data database datasource source) near3 (port portal)) same ((data database datasource source) near5 (interface GUI browser application api)))) and (@ad<"20000707" @rlad<"20000707")) and html))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 08:26
S20	2434	((((707/10).CCLS.) and (@ad<"20000707" @rlad<"20000707")) and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 08:28
S21	33	((((707/10).CCLS.) and (@ad<"20000707" @rlad<"20000707")) and (database near3 port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 08:36
S22	9	((((707/102).CCLS.) and (@ad<"20000707" @rlad<"20000707")) and (database near3 port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 09:48
S23	0	((((707/102).CCLS.) and (@ad<"20000707" @rlad<"20000707")) and (conver\$4 with (html near5 sql))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 09:30
S24	21	((conver\$4 translat\$3) with (html near5 sql))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 10:16
S25	12	((conver\$4 translat\$3) with (html near5 sql)) and (@ad<"20000707" @rlad<"20000707"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 09:42

S26	3	((((707/103?).CCLS.) and (@ad<"20000707" @rlad<"20000707")) and (database near3 port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 09:48
S27	26	((((707/104.1).CCLS.) and (@ad<"20000707" @rlad<"20000707")) and (database near3 port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 09:49
S28	173	(((((707/10).CCLS.) and (@ad<"20000707" @rlad<"20000707")) (((707/102).CCLS.) and (@ad<"20000707" @rlad<"20000707")) (((707/103?).CCLS.) and (@ad<"20000707" @rlad<"20000707")) (((707/104.1).CCLS.) and (@ad<"20000707" @rlad<"20000707")))) and ((conver\$4 transl\$3) near5 sql)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 10:17
S29	49	(((((707/10).CCLS.) and (@ad<"20000707" @rlad<"20000707")) (((707/102).CCLS.) and (@ad<"20000707" @rlad<"20000707")) (((707/103?).CCLS.) and (@ad<"20000707" @rlad<"20000707")) (((707/104.1).CCLS.) and (@ad<"20000707" @rlad<"20000707")))) and ((conver\$4 transl\$3) near5 sql)) and HTML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 10:28
S30	12	(((((707/10).CCLS.) and (@ad<"20000707" @rlad<"20000707")) (((707/102).CCLS.) and (@ad<"20000707" @rlad<"20000707")) (((707/103?).CCLS.) and (@ad<"20000707" @rlad<"20000707")) (((707/104.1).CCLS.) and (@ad<"20000707" @rlad<"20000707")))) and ((conver\$4 transl\$3) near5 sql)) and HTML) and port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 10:33
S31	81	(709/211).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/26 11:09
S32	69	((709/211).CCLS.) and (@ad<"20000707" @rlad<"20000707"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 11:10
S33	19	((((709/211).CCLS.) and (@ad<"20000707" @rlad<"20000707")) and ((database) ((conver\$3 transl\$) near5 sql))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 11:10
S34	2539	(709/217).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/26 11:29
S35	1808	((709/217).CCLS.) and (@ad<"20000707" @rlad<"20000707"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 11:10
S36	1115	((((709/217).CCLS.) and (@ad<"20000707" @rlad<"20000707")) and ((database) ((conver\$3 transl\$) near5 sql))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 11:11
S37	21	((((709/217).CCLS.) and (@ad<"20000707" @rlad<"20000707")) and ((database) and ((conver\$3 transl\$) near5 sql))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 11:29

S38	1811	(709/229).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/05/26 11:29
S39	1158	((709/229).CCLS.) and (@ad<"20000707" @riad<"20000707")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 11:29
S40	8	((709/229).CCLS.) and (@ad<"20000707" @riad<"20000707")) and ((database) and ((conver\$3 translats) near5 sql))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 11:29
S41	81	\$10wanit.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 14:50
S42	57	\$10wanit.xp.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 14:51
S43	3	"6604139"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/26 14:52

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	107	((707/102).CCLS.) and (@ad<"20000707" @rlad<"20000707") and (@pd>"20040526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 12:16
L2	21	((707/103?).CCLS.) and (@ad<"20000707" @rlad<"20000707") and (@pd>"20040526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 12:16
L3	98	((707/104.1).CCLS.) and (@ad<"20000707" @rlad<"20000707") and (@pd>"20040526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 12:16
L4	2	((709/211).CCLS.) and (@ad<"20000707" @rlad<"20000707") and (@pd>"20040526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 12:17
L5	141	((709/217).CCLS.) and (@ad<"20000707" @rlad<"20000707") and (@pd>"20040526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 12:17
L6	115	((709/229).CCLS.) and (@ad<"20000707" @rlad<"20000707") and (@pd>"20040526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 12:17
L7	437	1 2 3 4 5 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/11 12:18